

# Part #	Description
1 3049E4	ACCELEROMETER, 10-32 top connector, 10-32 mounting stud, low profile 100g range, 50 mV/g
2 3168M62	1209-3247-CA-01-RB 1209-3247-CA-01F3S ACCEL CABLE ASSY
3 3873A3-02	TRIAxIAL ACCEL, CRYOGENIC, 100 mV/g, 2 FT INTEGRAL CABLE
4 4123B	12-CHANNEL RACK MOUNT POWER UNIT W/GAINS X1, X10, X100 19"WIDE X 1/34" HIGH BUFFERED OUTPUTS, LED MONITOR METER
5 3143D13-05	ACCELEROMETER, TRIAXIAL, 1.0mV/g, MECHANICALLY FILTERED, 60" INTEGRAL CABLE W/ VITON OVERMOLDED BOOT, 805 SERIES MIGHTY MOUSE CONNECTOR
6 3306M2	ACCELEROMETER, 5mV/G, TOP 3 PIN BAYONET CONNECTOR, CRYOGENIC
7 7653A6	TRIAxIAL DC ACCELEROMETER, 5V, 100G RANGE, 2X THRU HOLE MOUNT
8 7613A5-20	TRIAxIAL DC ACCELEROMETER, +/-50g RANGE, INTEGRAL CABLE, SEPARATE PWR & GND, 20FT
9 3143D20	ACCELEROMETER, TRIAXIAL, D38999 CONNECTOR, CRYOGENIC 10mV/g
10 3143D19	ACCELEROMETER, TRIAXIAL, D38999 CONNECTOR, STAINLESS STEEL, 100mV/g
11 1210C7	FORCE SENSOR, CHARGE MODE, -18PC/LB, 100,000 LB RANGE, RING STYLE.
12 3623A3T-17	TRIAxIAL ACCELEROMETER, 50mV/G W/ TEDS 10-32 STUD MOUNT INTEGRAL CABLE, SUBMERSIBLE
13 E4119B	CURRENT SOURCE POWER UNIT FOR BACK TO BACK STANDARD, 220VAC,BNC INPUT/ OUTPUT.
14 3054D2-20	BIAXIAL ACCELEROMETER, 25 mV/G, 20 FT, (3054) & (102-1098-XX)
15 5313M6	SEAT ACCELEROMETER, 100 mV/g TRIAXIAL, 9.26 DIA. RUBBER PAD W/6.5 FT LONG CABLE. NORSONIC, 4-PIN JACK, IN PIGTAIL.
16 3133D3T	MINIATURE TRIAXIAL ACCELEROMETER, 5mV/g, TEDS, INTEGRATED CABLE
17 3603A1T	ACCELEROMETER, TRIAXIAL, 1.0mV/g, MECHANICALLY FILTERED, 10-32 TAPPED HOLE WITH TEDS FUNCTION
18 5313M2	SEAT ACCELEROMETER, 100 mV/G TRIAXIAL, 9.26 DIA. RUBBER PAD W/6 FT. LONG CABLE TERMINATING IN PIGTAIL
19 3093M27	TRIAxIAL ACCELEROMETER, IEPE, 10mV/g, 10-32, STUD MOUNTED, W/ TEDS
20 7506A2	DC ACCELEROMETER, 400g, CVLD, 805 SERIES MIGHT MOUSE CONNECTOR
21 2006V2	PRESSURE SENSOR, 1/4 NPT, 50MV/PSI, 2PIN MILITARY CONNECTOR ATEX CERTIFIED: ATEX Ex II 1G Ex ia IIC T4 Ga IECEx CERTIFIED: IECEx BAS 20.0028
22 2013D	MICROPHONE, 2 V/PSI, 2.5 PSI RANGE, HIGH TEMP, ALL TITANIUM CONSTRUCTION
23 1210C2	FORCE SENSOR, CHARGE MODE, -18PC/LB, 10,000 LB RANGE, RING STYLE.
24 3093M16	TRIAxIAL ACCELEROMETER, IEPE 50mV/G, TEDS FUNCTION, TITANIUM CASE
25 7705A2	ACCELEROMETER, EXTENDED FREQUENCY RESPONSE, 5 TO 28 VDC POWER, 50 mV/G, 0 TO 10 KHZ +/-10% FREQUENCY RESPONSE
26 2006M6	PRESSURE SENSOR, 1/2 NPT, 50MV/PSI, 2PIN MILITARY CONNECTOR, TALLY OEM ATEX CERTIFIED: ATEX Ex II 1G Ex ia IIC T4 Ga IECEx CERTIFIED: IECEx BAS 20.0028
27 3153A2T	TRIAxIAL ACCELEROMETER 50 mV/g 10-32 STUD MOUNT, TEDS, MIGHTY MOUSE CONNECTOR
28 3333A5T	TRIAxIAL ACCELEROMETER 1mV/g 4-PIN PHT CONNECTOR LOW NOISE, TITANIUM HOUSING AND CONNECTOR SHELL WITH TEDS.
29 NVX-2005-1	BIAXIAL ACCEL NVX-2005-1 REV B, 100mV/g, LORD CORPORATION.
30 3093M4	TRIAxIAL ACCELEROMETER, 50 mV/G SINGLE CONNECTOR, HERM. SEALED, CASE ISOLATED, ADHESIVE MOUNT, TITANIUM CASE
31 3333M1T	TRIAxIAL ACCELEROMETER 5mV/g 4-PIN PHT CONNECTOR LOW NOISE, TITANIUM HOUSING AND CONNECTOR SHELL WITH TEDS.
32 3333M5T	TRIAxIAL ACCELEROMETER 5mV/G 4-PIN 1/4-28 CONNECTOR LOW NOISE, TITANIUM WITH TEDS.
33 3062M13	ACCELEROMETER, 15 mV/G, 12VDC POWER, TOP 3-PIN CONNECTOR, HERMETICALLY SEALED, BASE ISOLATED, HELITUNE OEM
34 3193B	TRIAxIAL ACCELEROMETER, 10mV/G 500G F.S.RANGE, 4-PIN GTM SHEAR MODE ELEMENTS. T-049149-3
35 3306B2	ACCELEROMETER, 5mV/G, TOP 3 PIN BAYONET CONNECTOR, CRYOGENIC
36 3316C	ACCELEROMETER, MINIATURE, 900F, 1PC/G, 5-40 MOUNTING HOLE, ALLOY 600 HOUSING. Patent US 8,375,793 B2
37 3079M38	ACCELEROMETER, BRACKET STYLE, 10 mV/G
38 3003M9	TRIAxIAL ACCELEROMETER, 2.0mV/G, INTEGRAL WIRES TO 5-PIN MIN-E-CON CONNECTOR FOR SCHLUMBERGER
39 3313A1H	TRIAxIAL ACCELEROMETER 1mV/g 4-PIN MICROTCH STYLE CONN. 10-32 HOUSING AND CONNECTOR SHELL
40 2180C	MICROPHONE, HIGH TEMPERATURE, 600 pC/psi, HERMETICALLY SEALED, INTERNALLY GROUND ISOLATED

41 3078A	ACCELEROMETER, 10mV/g, INTEGRAL MOUNTING BRACKET, 5FT INTEGRAL CABLE, CUTOFF
42 3062M11	ACCELEROMETER, 25mV/g, HERM SEALED, 3-PIN CONNECTOR
43 3078M21	1209-9106-CA-22-RB 1209-9106-CA-22F3S, CABLE ASSY, MARKED 10MV/G, ACCEL, 3078, HVM50A22_____
44 3023B13T	ACCELEROMETER, TRIAXIAL, TEDS, 0.5mV/G, QUARTZ, 10-32 MOUNT
45 3078M2	1209-3229-CA-01F3S 1209-3229-CA-01-R3 ACCEL CABLE ASSY, 118 IN
46 7705A3	ACCELEROMETER, EXTENDED FREQUENCY RESPONSE, 5 TO 28 VDC POWER, 100MV/G, 0 TO 10 KHZ +/-10% FREQUENCY RESPONSE
47 7602B1	ACCELEROMETER, +/- 5G RANGE
48 7602B2	ACCELEROMETER, +/- 10G RANGE
49 7700A3	ACCELEROMETER, +/-25G RANGE
50 3168M126	ACCEL CABLE ASSEMBLY, 3168M126, 25mV/G
51 1060V4	FORCE SENSOR, 10,000 LB RANGE 0.5 mV/LB, 3/8-16 TAPPED HOLE TOP, AXIAL CONNECTOR
52 7600B3	ACCELEROMETER, +/-25G RANGE
53 7577A2	5G DC ACCELEROMETER
54 7509A3-04	10G DC RESPONSE ACCELEROMETER,
55 7509A4-33	25G DC RESPONSE ACCELEROMETER,
56 7509A1-33	2G DC RESPONSE ACCELEROMETER, 33 FT. CABLE
57 3093M8	TRIAxIAL ACCEL, 100MV/G, 10-32 STUD MOUNT, TITANIUM, TEDS, 4-PIN CONNECTOR
58 3225M27	ACCELEROMETER, CHARGE MODE, 1pC/G, 500F, REMOVABLE CABLE, TEARDROP SHAPE CERAMIC.
59 3086A1	70,000g RANGE, .05 mV/g, TOP MOUNTED SOLDER TERMINALS, 1/4-28 MOUNTING STUD.
60 3086A4T	10,000g RANGE, .5 mV/g, TOP MOUNTED SOLDER TERMINALS, 10-32 MOUNTING STUD.
61 3055D10T	ACCEL, SIDE 10-32 CONNECTOR, TITANIUM, 320F
62 3055D7T	ACCEL, SIDE 10-32 CONNECTOR, TITANIUM, 320F
63 3056D6T	ACCEL, 200mV/g, SIDE 10-32 CONNECTOR, TITANIUM, TEDS
64 3055D5T	ACCEL, 20mV/g TEDS, SIDE 10-32 CONNECTOR, TITANIUM
65 3056D5T	ACCEL, 50mV/g, TOP 10-32 CONNECTOR, TITANIUM, TEDS
66 3496A	ACCELEROMETER, 1.0mV/g, MECHANICALLY FILTERED
67 3168M63	1209-3248-CA-01-R3 1209-3248-CA-01F3S ACCEL CABLE ASSY, 42 IN
68 6525	CRIMP TOOL FOR PIN, MODEL 6122 CABLE CONNECTOR, ASTRO TOOL P/N A831.
69 3086A2	50,000g RANGE, .1 mV/g, TOP MOUNTED SOLDER TERMINALS, 1/4-28 MOUNTING STUD.
70 1210m1	FORCE RING, .650 DIA, CHARGE MODE, 5K lb CUSTOMER MARKING "PROMESS" "PRO-11".
71 3086M4	5000G RANGE, 1.0 mV/g, TOP SOLDER TERMINALS, 10-32 STUD
72 2200C4	PRESSURE SENSOR, CHARGE MODE, ACCEL. COMPENSATED, 1000 PSI RANGE, 1.0 pC/PSI, .217 DIA. DIAPHRAGM
73 2200C2	PRESSURE SENSOR, CHARGE MODE, ACCEL. COMPENSATED, 500 PSI RANGE, 1.0 pC/PSI, .217 DIA. DIAPHRAGM
74 3355A3T	MODAL ANALYSIS ACCELEROMETER, 500MV/G, TEDS, BASE ISOLATED
75 3355A2T	MODAL ANALYSIS ACCELEROMETER, 50MV/G, TEDS, BASE ISOLATED
76 3355a1t	MODAL ANALYSIS ACCELEROMETER, 5MV/G, TEDS, BASE ISOLATED
77 3168M75	1209-2854-CA-R1 1209-2854-CAF3S ACCEL CABLE ASSY, 12 FT
78 3056D2	ACCEL, 100mV/g, TOP 10-32 CONNECTOR, TITANIUM
79 3056D11	ACCEL, 50mV/g, TOP 10-32 CONNECTOR, TITANIUM, 320F MAX TEMP
80 3056D3	ACCEL, 500mV/g, TOP 10-32 CONNECTOR, TITANIUM
81 3056D5	ACCEL, 50mV/g, TOP 10-32 CONNECTOR, TITANIUM
82 3055D5	ACCEL, 20mV/g, SIDE 10-32 CONNECTOR, TITANIUM

83 3055D7	ACCEL, 100mV/g, SIDE 10-32 CONNECTOR, TITANIUM, 320F
84 3056D13	ACCEL,200mV/g, TOP 10-32 CONNECTOR, TITANIUM, 320F MAX TEMP
85 3078m31	1209-2852-CA-R1 1209-2852-CAF3S, ACCEL CABLE ASSY, 22 FT
86 3202A2	ACCELEROMETER +/- 50G RANGE 100 mV/G THRU HOLE MOUNT FREQ RESPONSE TO 5 kHz HERM SEAL WITH PROV. FOR SUBMERSIBLE BOOT
87 3176B	ACCELEROMETER, 50 G RANGE, 100 MV/G, TOP 2-PIN CONNECTOR, HERMETIC, GROUND ISOLATED 10-32 TAPPED MOUNTING HOLE.
88 7531A7-20	DC ACCELEROMETER,+/-40G, SINGLE AXIS, INTEGRAL CABLE
89 4707M6	CHARGE AMPL, IN-LINE, DIFF INPUT, IEPE OUTPUT, 1mV/pC SENSITIVITY .625 OD X 4.29 LG D38999/25YA98PA RECEPTACLE ON SIGNAL/POWER D38999/25YA35PN RECEPTALCE ON INPUT,
90 3200BM	SHOCK ACCELEROMETER, 0.05 mV/G 100K G RANGE, M6x1.0 MTG STUD BASE ISO, 10-32 CONN, 3/8 HEX
91 3224C	MINIATURE ACCELEROMETER, CHARGE MODE, CE CERTIFIED
92 7509A5-10	50G DC RESPONSE ACCELEROMETER, 10 FT CABLE
93 7509A3-10	10G DC RESPONSE ACCELEROMETER,
94 7509A4-05	25G DC ACCELEROMETER, INTEGRAL CABLE
95 3185D	ACCELEROMETER,IMMERSION PROOF 50 G RANGE, 100 mV/G, GROUND ISOLATION, PLANAR SHEAR
96 3166B	ACCELEROMETER +/- 50G RANGE 100 mV/G THRU HOLE MOUNT FREQ RESPONSE TO 5kHz, PLANAR SHEAR
97 3255C	ACCELEROMETER, CHARGE MODE, CASE GROUND, 10-32 STUD MOUNT, 10-32 SIDE CONNECTOR
98 3255A6	ACCEL, 200mV/g, SIDE 10-32 CONNECTOR, TITANIUM CASE GROUNDED
99 3038A	ACCELEROMETER, BACK TO BACK STANDARD, CASE ISOLATED, WITH GROUND LUG IN CASE, 10 mV/G, 10KHz
100 4751B3T	CHARGE AMPLIFIER, IN-LINE 1 mV/pC, TEDS, HEMETIC SEALED
101 2300C1	PRESSURE SENSOR, CHARGE MODE, HIGH FREQUENCY, ACCEL. COMP., 100 PSI RANGE, .35 pC/PSI, .217 DIA. DIAPHRAGM
102 7531A1-20	DC ACCELEROMETER,+/-2g, SINGLE AXIS
103 7531A2-20	DC ACCELEROMETER,+/-3g, SINGLE AXIS
104 3100D24	ACCELEROMETER, 1V/G 5G RANGE GND ISO, HERMETIC SEALED 5/8 HEX
105 1210M3	FORCE RING, 1.10 DIA, CHARGE MODE, 2 CUSTOMER MARKING "PROMESS" "PRO-13".
106 3527A2	ACCELEROMETER, MINIATURE 50,000g RANGE,.02 mV/g, HIGH TEMP, LOW BIAS, .312 HEX, 35" CABLE, 350 DEG F OPERATING RANGE, TITANIUM BASE AND CAP, INTEGRAL 10-32 STUD
107 1051M42	FORCE SENSOR, 10 LB RANGE, 500 mV/LB, 1/4-28 TAPPED HOLE TOP & BOTTOM, RADIAL CONNECTOR, WITH 1N CALIBRATION
108 1050M1	FORCE TRANSDUCER, 500 MV/LBF, DYTRAN MODEL 1050V1 INSCRIBED "MOORE, 51291, S/N", NO REFERENCE TO DYTRAN PART NUMBER OR NAME ON THE UNIT.
109 7531A2-10	DC ACCELEROMETER,+/-3g, SINGLE AXIS
110 1051M38	MM-0226, (B&K 8230-002)
111 3220M18	MM-0215, B&K, CHARGE MODE, M3 CONNECTOR (B&K 4521 C).
112 4751B3	CHARGE AMPLIFIER, IN-LINE 1 mV/pC, HERMETIC SEALED LIVM
113 3145A2G	ACCELEROMETER, 5.0 mV/G, TOP 5-44 CONNECTOR, ADHESIVE MOUNTED, 2.5 GRAMS
114 7707M5	ACCELEROMETER, +/-100G RANGE INRUSH CURRENT PROTECTION
115 4705A3	CHARGE AMPLIFIER, IN-LINE 5000pC RANGE, 1.0mV/pC BNC INPUT & OUTPUT JACKS
116 3056C	ACCELEROMETER, 500G RANGE, 15 pC/G TOP 10-32 CONNECTOR GROUND ISOLATED, TITANIUM
117 3030B4G	ACCELEROMETER, 500 G RANGE 10 MV/G, HERMETIC SEALED ADHESIVE MOUNT
118 69013	CASE, CAN-MD, 5364
119 6567A1	SPRING CLIP SET FOR MODEL 3054A BIAXIAL ACCELEROMETER, .552 MIN DIAMETER, 8 PCS/SET OF 107-1543-01 SPRINGS
120 69140	7503M, HARDWARE
121 6759	TRIAxIAL MOUNTING BLOCK, ISOLATION, MODEL 3316
122 6567A4	SPRING CLIP SET, MODEL 3054B SET CONSISTS OF 8 SPRINGS .468 ID TUBE
123 60033A33	CABLE ASSY, IP65 RATED 1/4-28 4-PIN TO (3) BNC PLUGS 33FT
124 60035A03	CABLE ASSY, IP64 RATED 1/4-28 4-PIN CONNECTOR TO (3) 10-32 PLUGS

125 6429A01	CABLE, COAXIAL BNC PLUG TO 10-32 RIGHT ANGLE PLUG, RG196A/U 1 FT. LONG
126 6763	MOUNTING BLOCK, SINGLE AXIS, TRI-MOUNT FOOTPRINT,
127 6252H	IMPACT TIP, HARD, FOR MODEL 5803A IMPULSE HAMMER
128 6252m	IMPACT TIP, MEDIUM, FOR MODEL 5803A IMPULSE HAMMER
129 6252S	IMPACT TIP, SOFT, FOR MODEL 5803A IMPULSE HAMMER
130 6252T	IMPACT TIP, TOUGH, FOR MODEL 5803A IMPULSE HAMMER
131 6552	MOUNTING BLOCK, TRIAXIAL, FOR USE WITH 3191A
132 6333A03	CABLE ASSY, 4-PIN PLUG TO 4-PIN JACK, 4 CONDUCTOR
133 6717	TRIAx MOUNTING BLOCK, 7500A SERIES ACCEL
134 6430A33	CABLE ASSEMBLY, 4-PIN CONNECTOR TO (3) BNC'S,
135 69023	MAGNETIC MOUNTING BLOCK, ISOLATED
136 6125	3-56 JACK TO 3-56 JACK ADAPTOR
137 6049A05	CABLE ASSEMBLY, HYPERSHOCK, 10-32/BNC, LOW NOISE, 5 FT
138 6909	WASHER FOR 1210C7
139 60005A02	CABLE, Y-SPLITTER, DT04-6P TO 2X DT04-6S, 2FT.
140 6749	TRIAx MOUNTING BLOCK, 7600B SERIES ACCEL
141 6124B	CONNECTOR, 10-32 FOR USE WITH RG-196A/U COAXIAL CABLE, HEX NUT WITH LOCKWIRE HOLES, STAINLESS STEEL, CRIMP-ON
142 6137	PANEL MOUNT FEED THRU ADAPTOR 10-32 JACK/10-32 JACK TYCO P/N 1466295-1
143 6540	MAGNET, HIGH PULL, FLAT, .9 DIA X .42 HIGH
144 6119	CABLE END, CRIMP-ON 5-44, MALCO P/N 142-0000-0002
145 69070	MOUNTING BASE, 69070
146 6215	SILICONE RUBBER BOOT FOR 3100 SERIES ACCELEROMETERS
147 6217	IMPACT CAP FOR SERIES 1060 FORCE SENSOR, STEEL
148 6020A50	CABLE ASSEMBLY, RG58/U, 50 FT.
149 6029A01	CABLE ASSEMBLY, 5-44 PLUG TO BNC PLUG, TEFLON COAX, 1
150 6239	VIBRATION PROBE, 10-32 TAPPED HOLE, 6" LONG, ALUMINUM
151 69032	MOUNTING BLOCK, TRIAXIAL, MODEL 7503D & 7700A
152 6055A30	CABLE ASSEMBLY, MINI COAX, TEFLON INS., BNC PLUG TO BN
153 6201SK10	6201S, 10 pcs. B&K UA-2052
154 6240S	STEEL TRIAXIAL MTG. BLOCK, 1" CUBE, 10-32 TAPPED HOLES.
155 6284	HIGH PULL MAGNETIC MOUNTING BASE, 1/2" HEX, 10-32 TAPPED MOUNTING HOLE
156 69157	CONNECTOR, RECEPTACLE, 4 POSITION, M4.5 X .35 THD, ACCESSORY
157 6269	MOUNTING BLOCK, 5-40 THREAD ANODIZED ALUM, 3/8" SQUARE
158 69145	CONNECTOR, PLUG, SIZE 9, 6 POS ALUMINUM, D38999/26WA35PA
159 6209	MAGNETIC MOUNTING BASE 1" DIA., 10-32 THREAD
160 69026	ADHESIVE MOUNTING BASE, 2X 8-32, 1X 10-32 TAPPED HOLES, ALUMINUM ANODIZED, ORANGE
161 6019A10	CABLE ASSY, COAXIAL, LO-NOISE 10-32/BNC, 10 FT, RED
162 6199	MINIATURE HIGH PULL MAGNETIC MOUNTING BASE FOR 3220 SERIES, 2-56 TAPPED HOLE, 3/8" HEX
163 6011A03	CABLE ASSEMBLY, 10-32/BNC, WHITE TEFLON
164 69158	CAN-MD M12 T-Splitter
165 6013A03	CABLE, MINI COAX, TEFLON INS. LOW NOISE, 10-32 PLUG BOTH ENDS, 3 FT. LONG, RED
166 69024	MOUNTING SCREW, 6-32, INSULATING

167 69075	SCREW, SOCKET HD, 10-32-UNF X .75, FULLY THREADED
168 6592	MOUNTING SCREW ASSY, M2, B&K 3220 SERIES
169 6501	1/8 NPT ADAPTOR FOR .217 DIA. DIAPHRAGM PRESSURE SENSORS 5/16-24 INTERNAL THREAD STEEL
170 69151	ANTENNA, SMA MALE, 2.4GHZ
171 6502	MOUNTING ADAPTOR, 3/8-24 EXT. THREAD FOR .217 DIA. DIAPHRAGM PRESSURE SENSORS, STEEL
172 6297	MOUNTING SCREW ASSY, SER. 3221C
173 6138	MOUNTING BLOCK, TRIAXIAL, 5/16 CUBED, ANODIZED BLACK
174 6906	WASHER FOR 1210C3
175 69025	BASE, MOUNTING, ADHESIVE, 10-32, 69025
176 6020A05	CABLE, RG-58/U, BNC PLUG BOTH ENDS, 5 FT. LONG, BLACK
177 6194	BOOT, IMMERSION PROOF FOR MODELS 3187B & 3184B MATERIAL: VITON
178 69004	POWER SUPPLY, AC/DC ADAPTER, 20VDC, 40W, WITH INTERCHANGABLE PLUGS.
179 6757	MOUNTING BASE, ISOLATED ADHESIVE, FOR 7521A SERIES.
180 6020A03	CABLE, RG-58/U, BNC PLUG BOTH ENDS, 3 FT. LONG, BLACK
181 6454	ALLEN KEY 5/32",McMASTER P/N 53425A34
182 6693	MOUNTING STUD, 10-32 TO M5, .270 LONG, BERYLLIUM COPPER
183 6250PT	IMPACT TIP, PLASTIC TIP, HARD, 10-32 INTEGRAL STUD, SPECIAL
184 6161	MOUNTING STUD, 1/4-28 TO M8X1.0, BERYLLIUM COPPER
185 6343	MOUNTING STUD, M3 TO 10-32 MOUNTING STUD.
186 6742	INSTALLATION/REMOVAL TOOL, MODEL 1022V
187 6554	MOUNTING BLOCK
188 69109	MOUNTING SCREW, 6-32, INSULATING
189 6344	MODEL 6344 STUD ADAPTER, M5 TO 5-40
190 69153	MOUNTING STUD, 10-32 TO 8-32, BERYLLIUM COPPER
191 6271	HEAD EXTENDER FOR 5800B SERIES IMPULSE HAMMER, 1 IN.LONG, SS
192 6766	MOUNTING STUD, 10-32 TO M6
193 6529	IMMERSION PROOF (TM) BOOT FOR 3063A TRIAXIAL ACCELEROMETER.
194 6151	STUD ADAPTOR, 6-32 INTERNAL THD., 10-32 EXTERNAL THD.
195 6538	MTG STUD 5-40 THD X M3 THD X .247 LNG
196 6954A3	WASHER FOR 1210M3
197 6523	MOUNTING SCREW, 1/4-28 THD.
198 6927	REMOVAL WRENCH, USED FOR 3225M27 MODEL, ANODIZED ALUMINUM
199 6756	REMOVAL TOOL 3224M5
200 6170	MTG STUD, 1/4-28/10-32, FLANGE DII#0228-0070-02
201 6169	MOUNTING STUD, FLANGED, 1/4-28 BOTH ENDS, DII#0228-0070-01
202 6152	MOUNTING STUD, 5/16-24 TO 10-32, BERYLLIUM COPPER
203 69034A16	SCREW, CAP, SOCKET HEAD, 8-32 X .1.00 UNRC-3A, DRILLED, PLAIN, CORROSION-RESISTANT STEEL, PASSIVATED
204 6262	ADHESIVE MOUNTING BASE FOR INDUSTRIAL ACCELS., GROUND ISOLATED, 1/4-28 TAPPED HOLE, 7/8 HEX, ANODIZED ALUMINUM
205 6249	MOUNTING STUD, 10-32 TO 6-32, BERYLCO.
206 6150	STUD ADAPTOR, 6-32 INTERNAL THD., 1/4-28 EXTERNAL THD.
207 6250S	IMPACT TIP, STEEL FOR 5800, 5801 & 5850A
208 6210A	IMPACT CAP, FOR SERIES 1050 & 1051, ALUMINUM, 1/4-28 THREAD

209 6221	ADHESIVE MOUNTING BASE, 10-32 TAPPED HOLE, 5/8 HEX ALUMINUM
210 6524	MOUNTING SCREW, 1/4-28 SOCKET HEAD CAP SCREW FOR 3063A, 3073A TRIAXIAL ACCELEROMETERS.
211 6112	BNC 'T' ADAPTOR, 1 PLUG TO 2 JACKS
212 6904	WASHER FOR 1210C1
213 6235	ADHESIVE MOUNTING BASE, 10-32 TAPPED HOLE, 3/4 HEX, .20" THICK, ALUMINUM
214 6728	MOUNTING STUD, 5-40 TO M6 X 1
215 6205	STUD ADAPTOR, 5-40 INTERNAL THD., 10-32 EXTERNAL THREAD BERYLLIUM COPPER
216 6601	SEAL, .375 I.D. X .437 O.D. X .030 THICK FOR MODELS 6502 & 6503 ADAPTORS, BRASS
217 6222	ADHESIVE MOUNTING BASE, 5-40 TAPPED HOLE, 3/8 HEX, GROUND ISOLATED, ANODIZED ALUMINUM
218 6905	WASHER FOR 1210C2
219 6176	MTG STUD, 1/4-28 TO 1/4-28 W COL.
220 6541	STUD ADAPTER, 1/4-28 EXTERNAL THREAD, 8-32 INTERNAL THREAD, STAINLESS STEEL
221 6582	MOUNTING BOLT, 3233A TRIAX MAKE FROM A 141-0087-01 (8-32 UNC-2A)
222 6223	MOUNTING BASE, GROUND ISOLATED, 5-40 TAPPED HOLE TO 10-32 STUD, 3/8 HEX, ANODIZED ALUMINUM
223 6907	WASHER FOR 1210V4
224 6952A12	SCREW, CAP, SOCKET HEAD, 6-32 X .750 UNRC-3A, DRILLED, PLAIN, CORROSION-RESISTANT STEEL, PASSIVATED
225 69000	MOUNTING SCREW, ACCELEROMETER (CAN-MD)
226 6908	WASHER FOR 1210C6
227 6560A2	MOUNTING SCREW, 1/4-28 X 1.50 LONG, CAPTIVE, 3213A & A1
228 6954A6	WASHER FOR 1210M6
229 6952A14	SCREW, CAP, SOCKET HEAD, 6-32 X .875 UNRC-3A, DRILLED, PLAIN, CORROSION-RESISTANT STEEL, PASSIVATED
230 6954A4	WASHER FOR 1210M4
231 6954A5	WASHER FOR 1210M5
232 6561	BUSHING,.140 ID FOR 3236
233 6202	MOUNTING STUD, 10-32 to M5x.8 BERYLLIUM COPPER
234 60147A	CABLE, 8P8C, PLUG TO PLUG, RJ45, 7 FT LONG
235 6167	ADHESIVE MOUNTING PAD FOR 3220
236 6689	SHCS, M3 X 0.5MM THD. 18MM LENGTH, TYPE 316 SST
237 6746	MOUNTING SCREW, 4-40 X 7/16 LONG, 141-0239-01 USE AS PURCHASED
238 6954A1	WASHER FOR 1210M1
239 6221A1	ADHESIVE MOUNTING BASE FOR 3033B, 7/16 HEX, 4-40 TAPPED HOLE, STAINLESS STEEL
240 69002	OPTICAL TACHOMETER REFLECTIVE TARGET, 1" WIDE, 1FT LONG
241 6247A1	SOCKET HEAD CAP SCREW, 6-32 X .500 LONG, FOR 3143A
242 6692A12	SOCKET HEAD CAP SCREW, M4 X 0.7 x 12MM LONG
243 6201S	MOUNTING STUD, 1/4-28 THREAD TO 10-32 THREAD, STAINLESS STEEL.
244 6607B	SEAL, .618 I.D. X .700 O.D. X .060 THICK FOR MODEL SERIES 2013 & 2019, BRASS
245 6694A1	MOUNTING SCREW, M5 X 0.8, 35MM LONG, SOCKET HEAD, MAKE FROM 141-0442-01
246 6545A1	MOUNTING SCREW MODEL 3033A 4-40 CAP SCREW X .31 LONG
247 6292	THERMAL BOOT, YELLOW, 3148
248 69152	5/16-24, 1 3/8, SOCKET HEAD SCREW
249 6678	ALLEN KEY 7/64, McMASTER P/N 7122A43
250 6743	WASHER,18-8SS, NAS 620-C4,MCMAS 90945A711 #4 ID X .209 OD

251 6551	WASHER, FIBER FOR MOD 3073A McMASTER-CARR P/N 95601A310
252 5334	HIGH TEMPERATURE HIGH TEMPERATURE MEASUREMENT SYSTEM
253 7577A4	30G DC ACCELEROMETER, 7577A4
254 6804-B-001	MODAL ANALYSIS ACCELEROMETER, TEDS, 10MV/G
255 5331M1	1209-9107-CA-01-RA 1209-9107-CA-01F3S, CABLE ASSY, MARKED, ACCELS WITH CHARGE AMP, 3197C, HVM7A22
256 3001M12	ACCELEROMETER TO-8 MOUNT 3-PIN 100 mV/g POSITIVE POLARITY WHEN PIN MOUNTED, PLANAR SHEAR .25 SEC TC
257 4792A2	SENSOR, HALL EFFECT, ASSY, MODEL 4792A2
258 3143D18	ACCELEROMETER, TRIAXIAL, D38999 CONNECTOR, STAINLESS STEEL, 10mV/g
259 5331M2	1209-9107-CA-02-RA 1209-9107-CA-02F3S, CABLE ASSY, MARKED, ACCELS WITH CHARGE AMP, 3197C, HVM8A22
260 60030A50	CABLE ASSY, 4 PIN LONG NOSE TO BNC, LOW OUTGASSING, 60030A, CRYOGENIC
261 60034A33	CABLE ASSY, IP64 RATED 1/4-28 4-PIN TO PIGTAILS. _____
262 4787A2	SENSOR, HALL EFFECT, ASSY, MODEL 4787A2
263 6804-B-002	MODAL ANALYSYS ACCELEROMETER, TEDS, 100 MV/G
264 3001M7	ACCELEROMETER TO-8 MOUNT 3-PIN 100 mV/g NEGATIVE POLARITY WHEN PIN MOUNTED, PLANAR SHEAR .5 SEC TC
265 2310A	PRESSURE SENSOR, 10 PSI RANGE, 500 mV/PSI
266 3274A3	ACCELEROMETER, 25 mV/G, REMOVABLE CABLE, W/TEDS GROUND ISOLATED
267 3133D17T	MINIATURE TRIAXIAL ACCELEROMETER, 2.0mV/G, TEDS, INTEGRATED CABLE, ISOLATED
268 6951-B-002	DC ACCELEROMETER, +/-5g, TEDS, INTEGRAL CABLE, 35FT.
269 3493A2	TRIAXIAL ACCEL, MINIATURE, LOW NOISE 10mV/G
270 3001M11	ACCELEROMETER TO-8 MOUNT 3-PIN 100 mV/g NEGATIVE POLARITY WHEN PIN MOUNTED, PLANAR SHEAR .25 SEC TC
271 7509A6-33	100G DC RESPONSE ACCELEROMETER 33 FT CABLE
272 3077M59	1209-9105-CA-22-RA 1209-9105-CA-22F3S, CABLE ASSY, MARKED 10MV/G ACCEL, 3077, HVM14A22 _____
273 3168M45	1209-3225-CA-01-RA 1209-3225-CA-01F3S, ACCEL CABLE ASSY
274 60152A10	CABLE,D38999/26WA35SN 6-PIN TO PIGTAILS. MATES WITH 3322A1
275 7700A6	ACCELEROMETER, +/-200G RANGE
276 6893A03	CABLE ASSEMBLY, 4 POS RECEPTACLE, 6893
277 3078M23	1209-9106-CA-24-RB 1209-9106-CA-24F3S, CABLE ASSY, MARKED 10MV/G, ACCEL, 3078, HVM52A22 _____
278 60157A20	HARDLINE CABLE, 10-32 PLUG TO 10-32 JACK, FIBERGLASS INSULATION, GTM HEADER, 20FT
279 3233A4T	ACCEL,25mV/g, TRIAX, 4-PIN, CONNECTOR WITH TEDS.
280 6011A02	CABLE ASSEMBLY, 10-32/BNC, WHITE TEFLON
281 3097A3T	MODAL ANALYSIS ACCELEROMETER, TEDS, 500MV/G
282 6333A67	CABLE ASSY, 4-PIN PLUG TO 4-PIN JACK, 4 CONDUCTOR
283 1070V1T	FORCE SENSOR, 5000 LB RANGE 1.0 mV/LB, 1/2-13 TAPPED HOLE TOP, AXIAL CONNECTOR WITH TEDS
284 3056F7T	ACCEL, 200 mV/g, TEDS, TOP 10-32 CONNCTOR, TITANIUM
285 3133D15	MINIATURE TRIAXIAL ACCELEROMETER, ISOLATION CUP, 0.25MV/G
286 3217A-20	ACCEL, SUBMERSIBLE 175 PSI, 100mV/g, W/ 20 FT CABLE
287 60068A	CABLE, USB 2.0 A, MALE TO MINI 5 PIN, MALE, 3FT.
288 69123	SD CARD CASE AND SD CARD ADAPTOR
289 3133A2-05	MINIATURE TRIAXIAL ACCELEROMETER, 2MV/G, INTEGRATED CABLE 5 FOOT
290 3035B5	ACCELEROMETER, 10 mV/G SIDE CONN., INTEGRAL M3x0.5 STUD HERMETIC SEAL
291 7531A5-05	DC ACCELEROMETER,+/-200G, SINGLE AXIS
292 60058A01	CABLE ASSEMBLY, LEMO 9 PIN TO (3) BNC JACK

293 1050V5	FORCE SENSOR, 1000 LB RANGE, 5 mV/LB, 1/4-28 TAPPED HOLE TOP, AXIAL CONNECTOR
294 6701N	BOOT, SEALING, NEOPRENE FOR 3054A
295 3221C	ACCELEROMETER, CHARGE MODE, 10pC/g, THRU HOLE, 10-32 CONNECTOR.
296 6784A01	CABLES ASSY, 9 PIN LEMO TO 1/4-28, 1FT.
297 3078M24	1209-9106-CA-25-RB 1209-9106-CA-25F3S, CABLE ASSY, MARKED 10MV/G, ACCEL, 3078, HVM53A22
298 10002A500	SPOOL, 500FT, CABLE, CX, .075, TFE WHITE
299 6620	SEAL FOR MODEL 2180C, COPPER
300 1061C	FORCE SENSOR, CHARGE MODE, 50,000 LB RANGE, 9 PC/LB, 3/1-16 TAPPED HOLE TOP & BOTTOM, RADIAL CONNECTOR
301 6227	MOUNTING STUD, 1/2-13 THD., .625 LONG, BERYLLIUM COPPER FOR 1071V FORCE SENSOR
302 6901	WASHER FOR 1210C5
303 3035C	ACCELEROMETER, CHARGE MODE 2.5 PC/G, INTEGRAL 5040 MTG. STUD TRANSVERSE CONNECTOR HERM SEAL NEGATIVE OUTPUT POLARITY
304 3313A2	TRIAXIAL ACCELEROMETER 5mV/g 4-PIN MICROTECH STYLE CONN. 10-32 HOUSING AND CONNECTOR SHELL
305 7531m2-10	DC ACCELEROMETER, +/-5g, SINGLE AXIS, INTEGRAL CABLE TO 6-PIN DEUSTCH PLUG, 10FT.
306 7531A5-10	DC ACCELEROMETER, +/-200G, SINGLE AXIS
307 6019A0.5	CABLE ASSY, COAXIAL, LO-NOISE 10-32/BNC, 6 IN, RED
308 60191a	CABLE ASSY, 6-PIN TO D38999 TO CLIPS (6)
309 3215A1	ACCEL, 10mV/g, QUARTZ, 10-32 CONNECTOR, THRU HOLE FOR 10-32 SCREW.
310 3176B2	ACCELEROMETER, 500G RANGE 10 mV/G, TOP 2-PIN CONNECTOR 1/4-28 TAPPED HOLE MOUNT HERMETIC SEAL, GROUND ISOLATED PLANAR SHEAR
311 3184E	ACCELEROMETER, 100 MV/G, PLANAR SHEAR, LOW NOISE ELECTRONICS, 2 PIN MIL CONNECTOR
312 3032M7	MM-0198 (B&K 4516-001), MINI ACCEL, 5MV/G, INTEGRAL CABLE 36" LONG W/ 10-32 TERMINATION
313 3145A1G	ACCELEROMETER, 10 mV/G, TOP 5-44 CONNECTOR, ADHESIVE MOUNT 2.3 GRAMS, STAINLESS STEEL, HERMETIC
314 3334A1	ACCELEROMETER, 10 mV/G SIDE CONN., INTEGRAL 5-40 STUD HERMETIC SEAL, QUARTZ.
315 4751B2T	CHARGE AMPLIFIER, IN-LINE 10 mV/pC, TEDS, HEMETIC SEALED
316 6967A82	CABLE ASSEMBLY, 4-PIN CONNECTOR TO (3) BNC'S
317 6056A03	CABLE ASSEMBLY, 5-44 PLUG / BNC PLUG, COAXIAL, LOW NOISE, RED, 3FT. LONG
318 60163A25	CABLE ASSY, 9 PIN JACK TO PIGTAIL, LOW OUTGASSING
319 6003A01	CABLE ASSY, MODEL 3225F1, 1 FT., 3-56 PLUG TO 10-32 JACK
320 6129	CONNECTOR, 2-PIN MILITARY TYPE MS3106A10SL-4S CABLE END WITH MS3420-4 BUSHING AND MS3057-4A CLAMP ASSEMBLY
321 60163A05	CABLE ASSY, 9 PIN JACK TO PIGTAIL, LOW OUTGASSING
322 6048A33	CABLE, MINI COAX, TEFLON INS., LOW NOISE, BNC TO BNC, RED, 33FT.
323 6014A03	CABLE ASSEMBLY, 10-32/5-44 3 FT.
324 6578GR	BOOT, IMMERSION PROOF, VITON FOR 102-0691-XX CABLE SERIES GRAY
325 60051A30	CABLE ASSEMBLY, LOW NOISE 10-32 BOTH ENDS, 30 FT.
326 6250M5	IMPACT TIP FOR 5800M18 HAMMER